Globosilo

Outdoor silos in stainless steel with vibrating cone or fluidized bed for the complete extraction of product by the first in first out principal.





















Riscuits

Confectionery

Cereals

Baby food & functional food

Pet food

Beverages

Outdoor silos in stainless steel with vibrating cone or fluidized bed for the complete extraction of product by the first in first out principal. Multiple extractions are also available.

Globosilos are designed and built internally in dedicated tower. Our exclusive welding technique leaves no seams between the cylinders, reducing the risk of contamination to zero. The inner surface is entirely smooth inside to prevent the persistence of leftovers. Globosilos come with powder recovery filters and air exhaust system and are constantly perfected to meet the highest hygiene standards. Globosilo is conform to all EU standards.

Include: access door to the skirt with lock, manhole in stainless steel for control of the cleaning, and advanced safety technologies such as mechanic safety group for overpressure and depression, anti-explosion hatch and guillotine valve. Globosilos can be can be fitted with anti-condensation system for the control and regulation of internal temperature, and insulation or drying systems according to the stored product or in case of specific weather conditions. All operations are fully automated including full traceability and weight control is provided in real time.





















Features & Technologies

Exclusive anti-contamination welding technique

Multi-line distributor

Extraction by vibrating cone or fluidized bed

Anti-condensation and dehumidification

Insulation and drying technologies

Recovering filters for powders and air exhaust system

Bursting disk and anti-explosion hatch Slide valve

Safety system against overpressure and depression and CEPATIC safety system against loading overpressure

Ladder to access the upper part and protection rail on the roof

Control unit, integrated automation and full traceability

Minimum and maximum level sensors



- 1) EU standard powder recovery filter
- 2 EU standard ladder and protection rail
- 3 Bursting disk
- Extraction by vibrating cone or fluidized bed
- Safety system against overpressure and depression
- 6 CEPATIC safety system against loading overpressure





Powder recovering filters, ladder and bursting disk







Extraction by vibrating cone, fluidized bed and CEPATIC safety system against loading overpressure





Multiline distributor and dehumidification technology




heart of technology



CEPI Spa

Via G Ansaldo 15
47122 Forlì FC Italy
T +390543940514
F +390543940534
cepi@cepisilos.com
www.cepisilos.com
f □ in · · cepisilos



Bulk-handling systems for the food industry since 1985









STORING

CONVEYING

DOSING

AUTOMATION

Product and process analysis
Engineering and control
Direct manufacture
Project management
Installation and commissioning
Monitoring and service







Bakery & biscuits Confectionery Pasta & Cereals Dairy Premix Functional food Baby food Pet food Chemical Pharmaceutical